

**TRAVIS PERKINS PLC**  
**DECLARATION OF PERFORMANCE**  
**No: BLTGOLD-6.0-160929**

1. Product Type: Wood Screws 6.0mm
2. Unique Identification Code(s):
  - 107804-BULLET6.0X50
  - 107805-BULLET6.0X60
  - 107806-BULLET6.0X70
  - 495944-BULLET6.0X80
  - 107807-BULLET6.0X90
  - 107809-BULLET6.0X100
  - 107810-BULLET6.0X130
  - 107812-BULLET6.0X150
  - 107813-BULLET6.0X180
  - 107814-BULLET6.0X200
3. Intended use of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:  
Used for structural timber products
4. Manufacturer
  - TPPLC
  - Lodge Way House
  - Harlestone Road
  - Northampton
  - NN5 7UG
5. Authorized Representative: NOT APPLICABLE
6. System of system or system of assessment and verification of constancy of performance of the construction product as set out in Annex V of the CPR:  
System 3
7. Harmonized Standard: EN 14592 2008+A1:2012
8. Notified Body: KARLSRUHER INSTITUT FUR TECHNOLOGIE (NB0769)  
Test Report Number:- 126252/6

9. Declared Performance:

Essential Characteristic	Performance	Harmonized Technical Specification
Decking Screws 6.0x200mm		
Material:	According to AISI C1022	
Characteristic tensile capacity	$F_{\text{tens},k} = 12.7 \text{ kN}$	
Characteristic yield moment	$M_{y,k} = 10.0 \text{ Nm}$	EN 14592:
Characteristic torsional ratio	$F_{\text{tor},k} / R_{\text{tor},mv} = 1.57 \geq 1.5$ mv = mean value	2008+A1:2012
Characteristic withdrawal parameter	$F_{\text{ax},k} = 16.7 \text{ N/mm}^2$ with $\rho_k = 420 \text{ kg/m}^3$	
Characteristic head pull-through parameter	$F_{\text{head},k} = 22.9 \text{ N/mm}^2$ With $\rho_k = 430 \text{ kg/m}^3$	

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of the performance is issued under the sole responsibility of the manufacturer identified in point 4.

**Signed for and on behalf of the manufacturer by:**

**Name and function:** Stuart Croucher - Director Commercial Services

**Place and date of issue:** Northampton 29/09/16

**Signature:**

