

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 1. IDENTIFICATION OF THE SUBSTANCE / MIXTURE AND OF THE COMPANY / UNDERTAKING

1.1. Product identifier.	SX Contractors Caulk Acrylic 380ml	
1.2. Relevant identified uses of the substance or mixture and uses advised against.	Identified uses: Gun applied soft paste for use as a caulk or filler. Uses advised against: Any other uses other than the advised purpose.	
1.3. Details of the supplier of the datasheet.	Siroflex Limited Dodworth Business Park Dodworth Barnsley South Yorkshire S75 3SP	Tel: 01226771600 Fax: 01226 771601 E-mail: info@siroflex.co.uk Web: www.siroflex.co.uk
1.4. Emergency Phone Number (Office Hours Only)	Tel: 01226 771600	

SECTION 2. HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture. <u>2.1.1. Classification according to regulation (EC) No 1272/2008 [CLP].</u>	This mixture does not meet the criteria for classification in accordance with Regulation (EC) 1272/2008 [CLP].
<u>2.1.2. Classification according to Directive 1999/45/EC.</u>	This mixture does not meet the criteria for classification in accordance with directive 1999/45/EC.
2.2. Label elements. <u>2.2.1. Classification according to regulation (EC) No 1272/2008 [CLP].</u> Additional information:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) 1272/2008 [CLP]. Contains mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2-Isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
<u>2.2.2. Classification according to Directive 1999/45/EC</u>	This mixture does not meet the criteria for classification in accordance with directive 1999/45/EC.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.2. Mixtures

Description of mixture: Mixture of an acrylic copolymer emulsion, inorganic fillers and additives.

Hazardous ingredients: Not applicable.

Name	CAS No.	EC No.	REACH Registration No.	% (weight)	Classification according to 67/548/EEC	Classification according to Regulation (EC) No 1278/2008 (CLP).
Diisononyl phthalate	28553-12-0	249-079-5	01-2119430798-28-xxxx	5 - <10%	-	-

Additional information: For full text of H-statements and R-phrases: see SECTION 16.

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 4. FIRST AID MEASURES

4.1. Description of first aid measures Following inhalation: Following skin contact: Following eye contact: Following ingestion:	Remove to fresh air. Get medical attention if any discomfort continues. Wipe off with soap and water. Seek medical advice if irritation persists. Flush with water. Seek medical attention if irritation persists. Immediately flush with plenty of water for 15 minutes. Remove any contact lenses and open eyes wide apart. Get medical attention if any discomfort continues. Get medical attention if discomfort continues.
4.2. Most important symptoms and effects, both acute and delayed.	No data available.
4.3. Indication of any immediate medical attention and special treatment needed.	No data available.

SECTION 5. FIREFIGHTING MEASURES

5.1. Extinguishing media Suitable extinguishing media; Unsuitable extinguishing media;	Carbon dioxide, foam, dry powder or fine water spray. Do not use water jets on fires.
5.2. Special hazards arising from the substance or mixture Hazardous combustion products;	Carbon oxides and traces of incompletely burned carbon compounds.
5.3. Advice for firefighters	A self-contained respirator and protective clothing should be worn. Keep containers cool with water spray until well after the fire is out. Determine the need to evacuate or isolate the area according to your local emergency plan.

SECTION 6. ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures. 6.1.1. For non-emergency personnel. Protective equipment: Emergency procedures:	Wear proper protective equipment. No data available.
6.2. Environmental precautions:	Prevent material from entering surface waters, drains and soil.
6.3. Methods and material for containment and cleaning up. 6.3.1. For containment: 6.3.2. For cleaning up: 6.3.3. Other information:	No data available. Scrape up and place in a container fitted with a lid. Dispose of in accordance with local regulations. No further data available.
6.4. Reference to other sections	See SECTION 8 and 13.

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 7. HANDLING AND STORAGE

7.1. Precautions for safe handling

Measures to prevent fire:

Not necessary.

Measures to prevent aerosol and dust generation:

Not necessary.

Measures to protect the environment:

Prevent material from entering surface waters, drains and soil.

7.2. Conditions for safe storage, including any incompatibilities.

Keep container closed and store away from moisture.

7.3. Specific end use(s).

Gun applied soft paste for use as a caulk or filler.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1. Control parameters

Maximum airborne concentrations at the workplace:

Name	CAS No.	Type	Mg/m ³	ppm
Diisononyl phthalate	28553-12-0	Long term exposure. 8-hr TWA	5.0	-

Derived No-Effect Level (DNEL); Diisononyl phthalate

Route of exposure	Workers				Consumers			
	Acute effect local	Acute effects systemic	Chronic effects local	Chronic effects systemic	Acute effects local	Acute effects systemic	Chronic effects local	Chronic effects systemic
Oral	-	-	-	-	-	4.4mg/kg bw/day	-	-
Inhalation	-	51.7mg/m ³	-	-	-	15.3mg/m ³	-	-
Dermal	-	366mg/kg bw/day	-	-	-	220mg/kg bw/day	-	-

Predicted No Effect Concentration (PNEC);

Environmental protection target	PNEC Value
Fresh water	-
Freshwater sediments	-
Marine water	-
Marine sediments	-
Food chain	-
Microorganisms	-
Soil (agricultural)	-
Air	-

8.2. Exposure control

8.2.1. Appropriate engineering controls:

Not necessary.

8.2.2. Personal protection equipment:

Chemical protective gloves should be worn where repeated or prolonged contact can occur. For gloves breakthrough time contact the chemical protective glove supplier.

8.2.2.1. Eye face protection:

Avoid contact with eyes.

8.2.2.2. Skin protection:

Protective equipment is not normally necessary.

8.2.2.3. Respiratory protection:

Not necessary.

8.2.2.4. Thermal hazards:

None known.

8.2.3. Environmental exposure controls:

Refer to SECTION 6 & 12.

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties.

- | | |
|--|--|
| a) Appearance: Paste. | k) Vapour pressure: No data available. |
| b) Odour: Low / characteristic. | l) Vapour density: No data available. |
| c) Odour Threshold: No data available. | m) Relative Density: 1.55g/ml |
| d) pH: 8-9. | n) Solubility (ies): 0g/l at 25°C |
| e) Melting point / freezing point: No data available. | o) Partition coefficient: n-octanol / water: No data available. |
| f) Initial boiling point and boiling range: No data available. | p) Auto-ignition temperature: No data available. |
| g) Flash point: No data available. | q) Decomposition temperature: No data available. |
| h) Evaporation rate: No data available. | r) Viscosity: No data available. |
| i) Flammability (solid, gas): No data available. | s) Explosive properties: No data available. |
| j) Upper / lower flammability or explosive limits: No data available. | t) Oxidising properties: No data available. |

9.2 Other Information:

No further data available.

SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity

No data available.

10.2 Chemical stability

Stable at room temperature.

10.3 Possibility of Hazardous Reactions

No data available.

10.4 Conditions to Avoid

No data available.

10.5 Incompatible Materials

No data available.

10.6 Hazardous decomposition products

During combustion carbon monoxide and carbon dioxide will be generated.

SECTION 11. TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects

Acute toxicity:

Not applicable.

Irritation:

May cause smarting and irritation on contact with eyes.

Prolonged contact may defat and dry the skin leading to possible irritation and dermatitis.

May cause irritation of the mouth, throat and digestive system if swallowed.

Corrosivity:

No data available.

Sensitisation:

No data available.

Repeated dose toxicity:

No data available.

Carcinogenicity:

No data available.

Mutagenicity:

No data available.

Toxicity for reproduction:

No data available.

Further toxicological information:

No further data available.

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 12. ECOLOGICAL INFORMATION

12.1. Toxicity:	Not applicable.
12.2. Persistence and degradability:	No data available.
12.3. Bioaccumulative potential:	No data available.
12.4. Mobility in soil:	No data available.
12.5. Results of PBT and vPvB testing:	Not applicable.
12.6. Other adverse effects:	No data available.
12.7. Additional information:	No data available.

SECTION 13. DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods:	Dispose of in accordance with local regulations. Do not empty product into drains.
13.1.1. Product / packaging disposal: Waste codes / waste designations according to LoW:	According to the European catalogue, waste codes are not product specific. The user should assign waste codes, preferably in discussion with waste disposal authorities.
13.1.2. Waste treatment-relevant information:	No data available.
13.1.3. Sewage disposal-relevant information:	No data available.
13.1.4. Other disposal recommendations:	No further data available.

SECTION 14. TRANSPORT INFORMATION

	Road ADR	Railway RID	Sea - IMDG Code	Air – ICAO-TI/IATA-DGR
14.1. UN Number	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing Group	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards	Not applicable	Not applicable	Not applicable	Not applicable
14.6. Special precautions for user	Not applicable	Not applicable	Not applicable	Not applicable
14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC code"	Not applicable	Not applicable	Not applicable	Not applicable

SAFETY DATA SHEET (SDS)

SDS Compliant with REACH Regulation (EC) No 1907/2006 – N° 453/2010

SX CONTRACTORS CAULK ACRYLIC 380ML

Date: 20.10.2014

Replaces: 10.06.2014

Ref: 0303.1.HO

SECTION 15. REGULATORY INFORMATION

15.1 Safety, health and environmental regulations / legislation specific for the substance or mixture

Labelling of 'treated articles' according to Regulation (EU) 528/2012, Article 58

This product contains a preservative against microbial deterioration.

Contains: a mixture of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

Contains: 1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5)

15.2 Chemical Safety Assessment.

No data available.

SECTION 16. OTHER INFORMATION

Abbreviations / Acronyms used:

CLP – Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008.

CAS# - Chemical Abstracts Service number.

PBT - Persistent, Bioaccumulative and Toxic substance.

VPvB - Very Persistent and Very Bioaccumulative.

UN - United Nations.

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No 1907/2006.

Relevant R-phrases and/or H-statements (number and full text):

According to Regulation (EC) No 1278/2008 (CLP/ GHS);

-

According to 67/548/EEC;

-

This Product Safety Data Sheet was prepared in compliance with article 31 and Annex II of the EU REACH regulation as well as their relevant amendments, on the approximation of laws, regulations and administrative provisions relative to the classification, packaging and labelling of dangerous substances and preparations.

This product should only be used as stated in Siroflex Limited literature. It is the responsibility of the persons in receipt of this Product Safety Data Sheet to ensure that the information contained herein is properly read and understood by all people who may use, handle, dispose of or in any way come in to contact with the product. If the recipient subsequently produces a formulation containing the Siroflex product, it is the recipient's sole responsibility to ensure the transfer of all relevant information from the Siroflex Limited Product Safety Data Sheet to their own Product Safety Data Sheet in compliance with article 31 and Annex II of the EU REACH regulation.

All information and instructions provided in the Product Safety Data Sheet are based on the current state of scientific and technical knowledge at the date indicated on the present Product Safety Data Sheet. Siroflex Limited shall not be held responsible for any defect in the product covered by this Product Safety Data Sheet, should the existence of such defect not be detectable considering the current state of scientific and technical knowledge.