

**4Trade All Purpose Putty Natural****SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier:**

Product name : 4Trade All Purpose Putty Natural  
Product type REACH : Mixture

**1.2 Relevant identified uses of the substance or mixture and uses advised against:****1.2.1 Relevant identified uses**

Sealing compound

**1.2.2 Uses advised against**

No uses advised against known

**1.3 Details of the supplier of the safety data sheet:****Supplier of the safety data sheet**

SOUDAL N.V.  
Everdongenlaan 18-20  
B-2300 Turnhout  
☎ +32 14 42 42 31  
☎ +32 14 42 65 14  
msds@soudal.com

**Manufacturer of the product**

SOUDAL N.V.  
Everdongenlaan 18-20  
B-2300 Turnhout  
☎ +32 14 42 42 31  
☎ +32 14 42 65 14  
msds@soudal.com

**1.4 Emergency telephone number:**

24h/24h (Telephone advice: English, French, German, Dutch):  
+32 14 58 45 45 (BIG)

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture:****2.1.1 Classification according to Regulation EC No 1272/2008**

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

**2.1.2 Classification according to Directive 67/548/EEC-1999/45/EC**

Not classified as dangerous according to the criteria of Directive(s) 67/548/EEC and/or 1999/45/EC

**2.2 Label elements:****Labelling according to Regulation EC No 1272/2008 (CLP)**

Not classified as dangerous according to the criteria of Regulation (EC) No 1272/2008

**Labelling according to Directive 67/548/EEC-1999/45/EC (DSD/DPD)**

Not classified as dangerous in compliance with Directive 67/548/EEC and/or Directive 1999/45/EC

**2.3 Other hazards:****CLP**

No other hazards known

**DSD/DPD**

No other hazards known

**SECTION 3: Composition/information on ingredients**

# 4Trade All Purpose Putty Natural

## 3.1 Substances:

Not applicable

## 3.2 Mixtures:

Name REACH Registration No	CAS No EC No	Conc. (C)	Classification according to DSD/DPD	Classification according to CLP	Note	Remark
Naphtha (petroleum), hydrodesulfurized heavy 01-2119490979-12	64742-82-1 265-185-4	1%<C<2.5%	Xn; R65 Xi; R38 R10 R67 N; R51-53	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 STOT SE 3; H336 Aquatic Chronic 2; H411	(1)(10)	UVCB
(benzene, conc<0.1%)						

(1) For R-phrases and H-statements in full: see heading 16

(10) Subject to restrictions of Annex XVII of Regulation (EC) No. 1907/2006

## SECTION 4: First aid measures

### 4.1 Description of first aid measures:

#### General:

If you feel unwell, seek medical advice.

#### After inhalation:

Remove the victim into fresh air. Respiratory problems: consult a doctor/medical service.

#### After skin contact:

Rinse with water. Soap may be used. Take victim to a doctor if irritation persists.

#### After eye contact:

Rinse with water. Take victim to an ophthalmologist if irritation persists.

#### After ingestion:

Rinse mouth with water. Consult a doctor/medical service if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed:

#### 4.2.1 Acute symptoms

##### After inhalation:

No effects known.

##### After skin contact:

No effects known.

##### After eye contact:

No effects known.

##### After ingestion:

No effects known.

#### 4.2.2 Delayed symptoms

No effects known.

### 4.3 Indication of any immediate medical attention and special treatment needed:

If applicable and available it will be listed below.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media:

#### 5.1.1 Suitable extinguishing media:

Adapt extinguishing media to the environment.

#### 5.1.2 Unsuitable extinguishing media:

No unsuitable extinguishing media known.

### 5.2 Special hazards arising from the substance or mixture:

Upon combustion CO and CO<sub>2</sub> are formed (carbon monoxide - carbon dioxide).

### 5.3 Advice for firefighters:

#### 5.3.1 Instructions:

No specific fire-fighting instructions required.

#### 5.3.2 Special protective equipment for fire-fighters:

Gloves. Protective clothing. Heat/fire exposure: compressed air/oxygen apparatus.

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

2 / 11

# 4Trade All Purpose Putty Natural

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures:

#### 6.1.1 Protective equipment for non-emergency personnel

See heading 8.2

#### 6.1.2 Protective equipment for emergency responders

Gloves. Protective clothing.

Suitable protective clothing

See heading 8.2

### 6.2 Environmental precautions:

Contain released substance, pump into suitable containers. Plug the leak, cut off the supply. Use appropriate containment to avoid environmental contamination.

### 6.3 Methods and material for containment and cleaning up:

Cover the solid spill with sand/kieselguhr. Scoop solid spill into closing containers. Clean contaminated surfaces with a soap solution.

### 6.4 Reference to other sections:

See heading 13.

## SECTION 7: Handling and storage

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 7.1 Precautions for safe handling:

Keep container tightly closed.

### 7.2 Conditions for safe storage, including any incompatibilities:

#### 7.2.1 Safe storage requirements:

Store in a dry area. Meet the legal requirements. Store at room temperature. Max. storage time: 1 year(s).

#### 7.2.2 Keep away from:

No data available.

#### 7.2.3 Suitable packaging material:

Synthetic material.

#### 7.2.4 Non suitable packaging material:

No data available

### 7.3 Specific end use(s):

If applicable and available, exposure scenarios are attached in annex. See information supplied by the manufacturer.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters:

#### 8.1.1 Occupational exposure

##### a) Occupational exposure limit values

If limit values are applicable and available these will be listed below.

##### b) National biological limit values

If limit values are applicable and available these will be listed below.

#### 8.1.2 Sampling methods

If applicable and available it will be listed below.

#### 8.1.3 Applicable limit values when using the substance or mixture as intended

If limit values are applicable and available these will be listed below.

#### 8.1.4 DNEL/PNEC values

##### PNEC

Naphtha (petroleum), hydrodesulfurized heavy

Compartments	Value	Remark
Soil	0.4-20.8 mg/kg soil dw	

#### 8.1.5 Control banding

If applicable and available it will be listed below.

### 8.2 Exposure controls:

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

#### 8.2.1 Appropriate engineering controls

#### 8.2.2 Individual protection measures, such as personal protective equipment

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

3 / 11

# 4Trade All Purpose Putty Natural

Keep container tightly closed. Do not eat, drink or smoke during work.

**a) Respiratory protection:**

Respiratory protection not required in normal conditions.

**b) Hand protection:**

Gloves.

**c) Eye protection:**

Safety glasses.

**d) Skin protection:**

Protective clothing.

**8.2.3 Environmental exposure controls:**

See headings 6.2, 6.3 and 13

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties:

Physical form	Paste
Odour	Characteristic odour
Odour threshold	No data available
Colour	Variable in colour, depending on the composition
Particle size	No data available
Explosion limits	Not applicable
Flammability	Non combustible
Log Kow	Not applicable (mixture)
Dynamic viscosity	No data available
Kinematic viscosity	No data available
Melting point	No data available
Boiling point	No data available
Flash point	Not applicable
Evaporation rate	No data available
Relative vapour density	Not applicable
Vapour pressure	No data available
Solubility	water ; insoluble
Relative density	2 ; 20 °C
Decomposition temperature	No data available
Auto-ignition temperature	Not applicable
Explosive properties	No chemical group associated with explosive properties
Oxidising properties	No chemical group associated with oxidising properties
pH	No data available

**Physical hazards**

No physical hazard class

### 9.2 Other information:

Minimum ignition energy	Not applicable
Absolute density	2000 kg/m <sup>3</sup> ; 20 °C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity:

No data available.

### 10.2 Chemical stability:

Stable under normal conditions.

### 10.3 Possibility of hazardous reactions:

No data available.

### 10.4 Conditions to avoid:

No data available.

### 10.5 Incompatible materials:

No data available.

### 10.6 Hazardous decomposition products:

Upon combustion CO and CO<sub>2</sub> are formed (carbon monoxide - carbon dioxide).

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

4 / 11

# 4Trade All Purpose Putty Natural

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects:

#### 11.1.1 Test results

##### Acute toxicity

###### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

###### Naphtha (petroleum), hydrodesulfurized heavy

Route of exposure	Parameter	Method	Value	Exposure time	Species	Gender	Value determination
Oral	LD50	Equivalent to OECD 401	>5000 mg/kg	24 h	Rat	Male/female	Experimental value
Inhalation (vapours)	LC50	Equivalent to OECD 403	>5610 mg/m <sup>3</sup> air		Rat	Male/female	Experimental value

Judgement is based on the relevant ingredients

##### Conclusion

Low acute toxicity by the dermal route

Low acute toxicity by the oral route

Low acute toxicity by the inhalation route

##### Corrosion/irritation

###### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

###### Naphtha (petroleum), hydrodesulfurized heavy

Route of exposure	Result	Method	Exposure time	Time point	Species	Value determination
Eye	Not irritating	Equivalent to OECD 405		24; 48; 72 hrs; 4 days	Rabbit	Experimental value
Skin	Irritating	OECD 404	4 h	1; 24; 48; 72; 168 hours	Rabbit	Experimental value

Judgement is based on the relevant ingredients

##### Conclusion

Not classified as irritating to the skin

Not classified as irritating to the eyes

##### Respiratory or skin sensitisation

###### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

###### Naphtha (petroleum), hydrodesulfurized heavy

Route of exposure	Result	Method	Exposure time	Observation time point	Species	Gender	Value determination
Skin	Not sensitizing	Equivalent to OECD 406		24; 48 hours	Guinea pig	Male	Experimental value

Judgement is based on the relevant ingredients

##### Conclusion

Not classified as sensitizing for inhalation

Not classified as sensitizing for skin

##### Specific target organ toxicity

###### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

5 / 11

# 4Trade All Purpose Putty Natural

## Naphtha (petroleum), hydrodesulfurized heavy

Route of exposure	Parameter	Method	Value	Organ	Effect	Exposure time	Species	Gender	Value determination
Oral (stomach tube)	NOEL	Subacute toxicity test	<500 mg/kg bw/day	Kidney	No effect	4 weeks (5 days/week)	Rat	Male	Experimental value
Dermal	NOAEL	Equivalent to OECD 453	0.5 ml		No effect		Mouse	Male/female	
Dermal	NOEL	Equivalent to OECD 410	<200 mg/kg bw/day	Skin	No effect	4 weeks (3 times/week)	Rabbit	Male/female	Experimental value
Dermal	NOEL	Equivalent to OECD 410	>2000 mg/kg bw/day	General	No effect	4 weeks (3 times/week)	Rabbit	Male/female	Experimental value
Inhalation (vapours)	NOAEC	Equivalent to OECD 453	1402 mg/m <sup>3</sup> air		No effect	107-109 weeks (6h/day, 5	Rat	Male/female	
Inhalation					Drowsiness, dizziness				Literature study

Judgement is based on the relevant ingredients

### **Conclusion**

Low sub-chronic toxicity by the dermal route

Low sub-chronic toxicity by the oral route

Low sub-chronic toxicity by inhalation route

### **Mutagenicity (in vitro)**

#### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

#### Naphtha (petroleum), hydrodesulfurized heavy

Result	Method	Test substrate	Effect	Value determination
Negative with metabolic activation, negative without metabolic activation	Equivalent to OECD 471	Bacteria (S.typhimurium)	No effect	Experimental value
Negative	Equivalent to OECD 476	Mouse (lymphoma L5178Y cells)	No effect	Experimental value

### **Mutagenicity (in vivo)**

#### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

#### Naphtha (petroleum), hydrodesulfurized heavy

Result	Method	Exposure time	Test substrate	Gender	Organ	Value determination
Negative	EPA OPPTS 870.5395	4 weeks (6h/day, 5 days/week)	Rat	Male/female		Experimental value

### **Carcinogenicity**

#### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

#### Naphtha (petroleum), hydrodesulfurized heavy

Route of exposure	Parameter	Method	Value	Exposure time	Species	Gender	Value determination	Organ	Effect
Dermal	NOAEL	Equivalent to OECD 451	0.05 ml	102 weeks (3 times/week)	Mouse	Male	Experimental value		No effect

### **Reproductive toxicity**

#### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

#### Naphtha (petroleum), hydrodesulfurized heavy

	Parameter	Method	Value	Exposure time	Species	Gender	Effect	Organ	Value determination
Developmental toxicity	NOAEL	Equivalent to OECD 414	23900 mg/m <sup>3</sup> air	14 days (6h/day)	Rat	Female	No effect	Foetus	Experimental value
Maternal toxicity	NOAEL	Equivalent to OECD 414	23900 mg/m <sup>3</sup> air	14 days (6h/day)	Rat	Female	No effect		Experimental value
Effects on fertility	NOAEC	Equivalent to OECD 416	>=20000 mg/m <sup>3</sup> air		Rat	Male/female	No effect		Experimental value

Judgement is based on the relevant ingredients

### **Conclusion CMR**

Not classified for carcinogenicity

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

6 / 11

# 4Trade All Purpose Putty Natural

Not classified for mutagenic or genotoxic toxicity  
Not classified for reprotoxic or developmental toxicity

## Toxicity other effects

### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

## Chronic effects from short and long-term exposure

### 4Trade All Purpose Putty Natural

No effects known.

## SECTION 12: Ecological information

### 12.1 Toxicity:

#### 4Trade All Purpose Putty Natural

No (test)data on the mixture available

#### Naphtha (petroleum), hydrodesulfurized heavy

	Parameter	Method	Value	Duration	Species	Test design	Fresh/salt water	Value determination
Acute toxicity fishes	LL50	OECD 203	10 mg/l	96 h	Oncorhynchus mykiss	Semi-static system	Fresh water	Experimental value; Lethal
Acute toxicity invertebrates	EL50	OECD 202	4.5 mg/l	48 h	Daphnia magna	Static system	Fresh water	Experimental value; Locomotor effect
Toxicity algae and other aquatic plants	EL50	OECD 201	3.1 mg/l	72 h	Pseudokirchneriella subcapitata	Static system	Fresh water	Experimental value; Growth rate
Long-term toxicity fish	NOELR	OECD 204	2.6 mg/l	14 day(s)	Pimephales promelas	Semi-static system	Fresh water	Experimental value; Lethal
Long-term toxicity aquatic invertebrates	NOELR	OECD 211	2.6 mg/l	21 day(s)	Daphnia magna	Semi-static system	Fresh water	Experimental value; Reproduction
Toxicity aquatic micro-organisms	EC50		15.41 mg/l	40 h	Tetrahymena pyriformis		Fresh water	QSAR; Growth

Judgement is based on the relevant ingredients of the mixture

### Conclusion

Not classified as dangerous for the environment according to the criteria of Directive 1999/45/EC  
Not classified as dangerous for the environment according to the criteria of Regulation (EC) No 1272/2008

### 12.2 Persistence and degradability:

#### Naphtha (petroleum), hydrodesulfurized heavy

#### Biodegradation water

Method	Value	Duration	Value determination
OECD 301F: Manometric Respirometry Test	77.05 %	28 day(s)	Experimental value
ISO 14593	90.35 %	28 day(s)	Experimental value

### Conclusion

Contains readily biodegradable component(s)

### 12.3 Bioaccumulative potential:

#### 4Trade All Purpose Putty Natural

#### Log Kow

Method	Remark	Value	Temperature	Value determination
	Not applicable (mixture)			

#### Naphtha (petroleum), hydrodesulfurized heavy

#### BCF fishes

Parameter	Method	Value	Duration	Species	Value determination
BCF	BCFWIN	2500		Oncorhynchus mykiss	Calculated value

#### Log Kow

Method	Remark	Value	Temperature	Value determination
		2.1 - 6		Calculated

### Conclusion

Contains bioaccumulative component(s)

### 12.4 Mobility in soil:

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

# 4Trade All Purpose Putty Natural

Naphtha (petroleum), hydrodesulfurized heavy

(log) Koc

Parameter	Method	Value	Value determination
Koc	SRC PCKOCWIN v1.66	60.7-229.2	Calculated value
log Koc	SRC PCKOCWIN v1.66	1.783-2.36	Calculated value

Percent distribution

Method	Fraction air	Fraction biota	Fraction sediment	Fraction soil	Fraction water	Value determination
Mackay level III	93.02 %		0.81 %	0.34 %	5.83 %	Calculated value

## Conclusion

Contains component(s) with potential for mobility in the soil

## 12.5 Results of PBT and vPvB assessment:

Does not contain component(s) that meet(s) the criteria of PBT and/or vPvB as listed in Annex XIII of Regulation (EC) No 1907/2006.

## 12.6 Other adverse effects:

4Trade All Purpose Putty Natural

### Global warming potential (GWP)

None of the known components is included in the list of fluorinated greenhouse gases (Regulation (EC) No 842/2006)

### Ozone-depleting potential (ODP)

Not classified as dangerous for the ozone layer (Regulation (EC) No 1005/2009)

Naphtha (petroleum), hydrodesulfurized heavy

### Ground water

Ground water pollutant

## SECTION 13: Disposal considerations

The information in this section is a general description. If applicable and available, exposure scenarios are attached in annex. Always use the relevant exposure scenarios that correspond to your identified use.

### 13.1 Waste treatment methods:

#### 13.1.1 Provisions relating to waste

Waste material code (Directive 2008/98/EC, Decision 2000/0532/EC).

08 04 10 (wastes from MFSU of adhesives and sealants (including waterproofing products): waste adhesives and sealants other than those mentioned in 08 04 09). Depending on branch of industry and production process, also other waste codes may be applicable. Can be considered as non hazardous waste according to Directive 2008/98/EC.

#### 13.1.2 Disposal methods

Remove waste in accordance with local and/or national regulations. Remove to an authorized waste treatment plant. Use appropriate containment to avoid environmental contamination.

#### 13.1.3 Packaging/Container

Waste material code packaging (Directive 2008/98/EC).

15 01 02 (plastic packaging).

## SECTION 14: Transport information

### Road (ADR)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Hazard identification number	
Class	
Classification code	

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

14.6 Special precautions for user:

Special provisions	
Limited quantities	

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

8 / 11



# 4Trade All Purpose Putty Natural

## Rail (RID)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Hazard identification number	
Class	
Classification code	

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

14.6 Special precautions for user:

Special provisions	
Limited quantities	

## Inland waterways (ADN)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Class	
Classification code	

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

14.6 Special precautions for user:

Special provisions	
Limited quantities	

## Sea (IMDG/IMSBC)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Class	
-------	--

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Marine pollutant	-
Environmentally hazardous substance mark	no

14.6 Special precautions for user:

Special provisions	
Limited quantities	

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code:

Annex II of MARPOL 73/78	
--------------------------	--

## Air (ICAO-TI/IATA-DGR)

14.1 UN number:

Transport	Not subject
-----------	-------------

14.2 UN proper shipping name:

14.3 Transport hazard class(es):

Class	
-------	--

14.4 Packing group:

Packing group	
Labels	

14.5 Environmental hazards:

Environmentally hazardous substance mark	no
--	----

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

9 / 11

# 4Trade All Purpose Putty Natural

14.6 Special precautions for user:

Special provisions	
Passenger and cargo transport: limited quantities: maximum net quantity per packaging	

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

#### European legislation:

VOC content Directive 2010/75/EU

VOC content	remarks
3 %	

European drinking water standards (Directive 98/83/EC)

(benzene, conc<0.1%)

Parameter	Parametric value	Note	Reference
Benzene	1 µg/l		Listed in Annex I, Part B, of Directive 98/83/EC on the quality of water intended for human consumption.

REACH Annex XVII - Restriction

Contains component(s) subject to restrictions of Annex XVII of Regulation (EC) No 1907/2006: restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles.

	Designation of the substance, of the group of substances or of the mixture	Conditions of restriction
Naphtha (petroleum), hydrodesulfurized heavy	Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: (a) hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F; (b) hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10; (c) hazard class 4.1; (d) hazard class 5.1.	1. Shall not be used in: — ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, — tricks and jokes, — games for one or more participants, or any article intended to be used as such, even with ornamental aspects.2. Articles not complying with paragraph 1 shall not be placed on the market.3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they: — can be used as fuel in decorative oil lamps for supply to the general public, and, — present an aspiration hazard and are labelled with R65 or H304.4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).5. Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of dangerous substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met: a) lamp oils, labelled with R65 or H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil — or even sucking the wick of lamps — may lead to life- threatening lung damage"; b) grill lighter fluids, labelled with R65 or H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter may lead to life threatening lung damage"; c) lamp oils and grill lighters, labelled with R65 or H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.6. No later than 1 June 2014, the Commission shall request the European Chemicals Agency to prepare a dossier, in accordance with Article 69 of the present Regulation with a view to ban, if appropriate, grill lighter fluids and fuel for decorative lamps, labelled R65 or H304, intended for supply to the general public.7. Natural or legal persons placing on the market for the first time lamp oils and grill lighter fluids, labelled with R65 or H304, shall by 1 December 2011, and annually thereafter, provide data on alternatives to lamp oils and grill lighter fluids labelled R65 or H304 to the competent authority in the Member State concerned. Member States shall make those data available to the Commission.'
Naphtha (petroleum), hydrodesulfurized heavy	Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to that Regulation or not.	1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: — metallic glitter intended mainly for decoration, — artificial snow and frost, — "whoopee" cushions, — silly string aerosols, — imitation excrement, — horns for parties, — decorative flakes and foams, — artificial cobwebs, — stink bombs.2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: "For professional users only". 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/ 324/EEC.4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Reference legislation

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

10 / 11

# 4Trade All Purpose Putty Natural

See column 1: 3.

See column 1: 40.

## National legislation The Netherlands

### 4Trade All Purpose Putty Natural

Waste identification (the Netherlands)	LWCA (the Netherlands): KGA category 03
Waterbezwaarlijkheid	11

## National legislation Germany

### 4Trade All Purpose Putty Natural

WGK	1: Classification water polluting based on the components in compliance with Verwaltungsvorschrift wassergefährdender Stoffe (VwVwS) of 27 July 2005 (Anhang 4)
-----	---

### Naphtha (petroleum), hydrodesulfurized heavy

TA-Luft	TA-Luft Klasse 5.2.5/1
---------	------------------------

## National legislation France

### 4Trade All Purpose Putty Natural

No data available

## National legislation Belgium

### 4Trade All Purpose Putty Natural

No data available

## 15.2 Chemical safety assessment:

No chemical safety assessment is required.

## SECTION 16: Other information

### Full text of any R-phrases referred to under headings 2 and 3:

R10 Flammable  
R38 Irritating to skin  
R51 Toxic to aquatic organisms  
R53 May cause long-term adverse effects in the aquatic environment  
R65 Harmful: may cause lung damage if swallowed  
R67 Vapours may cause drowsiness and dizziness

### Full text of any H-statements referred to under headings 2 and 3:

H226 Flammable liquid and vapour.  
H304 May be fatal if swallowed and enters airways.  
H315 Causes skin irritation.  
H336 May cause drowsiness or dizziness.  
H411 Toxic to aquatic life with long lasting effects.

(\*) = INTERNAL CLASSIFICATION BY BIG

PBT-substances = persistent, bioaccumulative and toxic substances

DSD Dangerous Substance Directive

DPD Dangerous Preparation Directive

CLP (EU-GHS) Classification, labelling and packaging (Globally Harmonised System in Europe)

The information in this safety data sheet is based on data and samples provided to BIG. The sheet was written to the best of our ability and according to the state of knowledge at that time. The safety data sheet only constitutes a guideline for the safe handling, use, consumption, storage, transport and disposal of the substances/preparations/mixtures mentioned under point 1. New safety data sheets are written from time to time. Only the most recent versions may be used. Old versions must be destroyed. Unless indicated otherwise word for word on the safety data sheet, the information does not apply to substances/preparations/mixtures in purer form, mixed with other substances or in processes. The safety data sheet offers no quality specification for the substances/preparations/mixtures in question. Compliance with the instructions in this safety data sheet does not release the user from the obligation to take all measures dictated by common sense, regulations and recommendations or which are necessary and/or useful based on the real applicable circumstances. BIG does not guarantee the accuracy or exhaustiveness of the information provided and cannot be held liable for any changes by third parties. This safety data sheet is only to be used within the European Union, Switzerland, Iceland, Norway and Liechtenstein. Any use outside of this area is at your own risk. Use of this safety data sheet is subject to the licence and liability limiting conditions as stated in your BIG licence agreement or when this is failing the general conditions of BIG. All intellectual property rights to this sheet are the property of BIG and its distribution and reproduction are limited. Consult the mentioned agreement/conditions for details.

Reason for revision: ATP4

Publication date: 2001-06-01

Date of revision: 2014-07-03

Revision number: 0100

Product number: 35295

11 / 11