## **Declaration of Performance**

## **Gyproc FireLine**

BOARD106

1. Unique identification code of the product-type:
Gyproc FireLine
Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11(4):
Gyproc FireLine: 12.5mm, 15mm
2. Intended use/es:
Plasterboard lining
3. Manufacturer:
British Gypsum
Registered in England 734396
East Leake, Loughborough, Leicestershire LE12 6HX
Tel: +44 (0) 115 945 1000
4. Authorised representative:
N/A
5. System/s of AVCP:
System 4 generally
System 3 Reaction to Fire
6a. Harmonised standard:
EN 520: 2004+A1: 2009
Notified body/ies:
The Building Test Centre, notified body No. 1575 issued reports
relating to System 3 classification requirements for reaction to fire



ob. European Assessment Document.	N/A
European Technical Assessment:	,
Tachnical Assassment Rady	N/A
Technical Assessment Body:	N/A
Notified body/ies:	
	N/A

## 7. Declared performance/s:

The characteristics in the table below apply to all products mentioned in 2 above.

Essential Characteristics	Performance	Harmonised technical specification
EN Classification	F	EN 520: 2004+A1: 2009
Shear strength (↑↓)	NPD	EN 520: 2004+A1: 2009
Reaction to Fire (R2F)	A2-s1, d0	EN 520: 2004+A1: 2009
Water vapour resistance factor (µ)	10	EN 520: 2004+A1: 2009
Thermal conductivity (λ)	0.24W/mK	EN 520: 2004+A1: 2009

## 8. Appropriate Technical Documentation and / or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulations (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

Alastair Bell, Managing Director British Gypsum

Madabell

East Leake 01/04/2017

(Signature) (Place and date of issue)

