

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830 Date of issue: 12/10/2018 Version: 1.1

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

: Mixture Product form Trade name : HippoPRO1

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1. Relevant identified uses

Main use category : Professional & DIY use

#### 1.2.2. Uses advised against

No additional information available

### 1.3. Details of the supplier of the safety data sheet

Tembe DIY & Building Products Limited

11 Delta Court

Sky Business Park

Robin Hood Airport

Doncaster

DN9 3GN

United Kingdom

# 1.4. Emergency telephone number

technical.support@tembediy.com

1.4. Emergency telephone number				
Country	Official advisory body	Address	Emergency number	Comment
Ü	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	

# SECTION 2: Hazards identification

# 2.1. Classification of the substance or mixture

# Classification according to Regulation (EC) No. 1272/2008 [CLP]

Not classified

### Adverse physicochemical, human health and environmental effects

No additional information available

### 2.2. Label elements

# Labelling according to Regulation (EC) No. 1272/2008 [CLP]

: EUH208 - Contains Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and **EUH-statements** 

methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, N-(2-aminoethyl)-N'-[3-

(trimethoxysilyl)propyl]ethylenediamine, 3-(2-aminoethylamino)propyltrimethoxysilane. May

produce an allergic reaction.

EUH210 - Safety data sheet available on request.

### 2.3. Other hazards

No additional information available

# SECTION 3: Composition/information on ingredients

# 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
vinyltrimethoxysilane	(CAS-No.) 2768-02-7 (EC-No.) 220-449-8 (REACH-no) 01-2119513215-52	2.5 - 5	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 STOT RE 2, H373
3-(2-aminoethylamino)propyltrimethoxysilane	(CAS-No.) 1760-24-3 (EC-No.) 217-164-6 (REACH-no) 01-2119970215-39	1 - 2.5	Acute Tox. 4 (Inhalation:dust,mist), H332 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Chronic 2, H411

EN (English) 1/6

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
3-(2-aminoethylamino)propyltrimethoxysilane		(C >= 3) Eye Dam. 1, H318 (C >= 3) Skin Sens. 1, H317

Full text of H-statements: see section 16

#### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

First-aid measures after inhalation : Move to fresh air.

: Wash with plenty of water/.... First-aid measures after skin contact

First-aid measures after eye contact : In case of contact with eyes, rinse immediately with plenty of water and seek medical

: Rinse mouth. First-aid measures after indestion

#### 4.2. Most important symptoms and effects, both acute and delayed

: Not expected to present a significant inhalation hazard under anticipated conditions of Symptoms/effects after inhalation

normal use

Symptoms/effects after skin contact : Not expected to present a significant skin hazard under anticipated conditions of normal

use

Symptoms/effects after eye contact : Direct contact with the eyes is likely slightly irritating.

Symptoms/effects after ingestion : Not expected to present a significant ingestion hazard under anticipated conditions of

### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

# SECTION 5: Firefighting measures 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

#### 5.2. Special hazards arising from the substance or mixture

: Not combustible. Fire hazard

# 5.3. Advice for firefighters

Precautionary measures fire : Exercise caution when fighting any chemical fire. Evacuate unnecessary personnel. Do not

breathe fumes from fires or vapours from decomposition.

Firefighting instructions : Cool down the containers exposed to heat with a water spray.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

Other information : Do not allow run-off from fire fighting to enter drains or water courses.

# SECTION 6: Accidental release measures 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Equip cleanup crew with proper protection. [In case of inadequate ventilation] wear

respiratory protection.

## 6.1.1. For non-emergency personnel

No additional information available

#### 6.1.2. For emergency responders

No additional information available

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Sweep or shovel spills into appropriate container for disposal.

### 6.4. Reference to other sections

No additional information available

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

: Avoid all unnecessary exposure. Precautions for safe handling

Hygiene measures : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke when using this product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Store in dry, well-ventilated area.

12/10/2018 (Version: 1.1) EN (English) 2/6

### Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

### 7.3. Specific end use(s)

No additional information available

# SECTION 8: Exposure controls/personal protection 8.1. Control parameters

No additional information available

### 8.2. Exposure controls

#### Appropriate engineering controls:

Ensure good ventilation of the work station.

Hand protection:					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR), Butyl rubber	6 (> 480 minutes)			EN 374

### Eye protection:

Туре	Use	Characteristics	Standard
Safety glasses		With side shields	EN 166

#### Skin and body protection:

No special clothing/skin protection equipment is recommended under normal conditions of use

#### Respiratory protection:

No special respiratory protection equipment is recommended under normal conditions of use with adequate ventilation

#### Personal protective equipment symbol(s):





# Other information:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Do not eat, drink or smoke during use. Handle in accordance with good industrial hygiene and safety procedures.

# SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid Appearance : Paste.

Colour : According to product specification.

: characteristic. Odour

Solubility : Water: practically insoluble

# 9.2. Other information

No additional information available

# SECTION 10: Stability and reactivity 10.1. Reactivity

No dangerous reactions known.

# 10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

#### 10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use

### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

No additional information available

# 10.6. Hazardous decomposition products

Additional hazards when processed. release of (highly) toxic gases/vapours. Methanol.

# SECTION 11: Toxicological information 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

: Not classified Acute toxicity (dermal) Acute toxicity (inhalation) : Not classified

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)	
LD50 oral rat	2295 mg/kg
LD50 dermal rat	> 2000 mg/kg
LC50 inhalation rat (Dust/Mist - mg/l/4h)	> 1.49 mg/l/4h

rinyltrimethoxysilane (2768-02-7)		
LD50 oral rat	7120 mg/kg	
LD50 dermal rabbit	3540 mg/kg	
LC50 inhalation rat (mg/l)	16.79 mg/l/4h	
LC50 inhalation rat (ppm)	2773 ppm/4h (OECD 403 method)	
LC50 inhalation rat (Dust/Mist - mg/l/4h)	16.8 mg/l/4h	
Skin corrosion/irritation	: Not classified	
Serious eye damage/irritation	: Not classified	
Respiratory or skin sensitisation	: Not classified	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	
Reproductive toxicity	: Not classified	
STOT-single exposure	: Not classified	
STOT-repeated exposure	: Not classified	
vinyltrimethoxysilane (2768-02-7)		
LOAEL (oral, rat, 90 days)	10 - 100 mg/kg bodyweight/day	
Asniration hazard	· Not classified	

Aspiration hazard : Not classified

# SECTION 12: Ecological information

12.1. Toxicity

: Not classified Acute aquatic toxicity : Not classified Chronic aquatic toxicity

3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)		
LC50 fish 1	597 mg/l Brachydanio rerio (zebra-fish)	
EC50 Daphnia 1	81 mg/l	
EC50 72h algae (1)	67 mg/l	
ErC50 (algae)	8.8 mg/l (OECD 201 method)	
NOEC (chronic)	> 1 mg/l	
NOEC chronic algae	3.1 mg/l (OECD 201 method)	

vinyltrimethoxysilane (2768-02-7)		
LC50 fish 1	191 mg/l	
EC50 Daphnia 1	168.7 mg/l	
EC50 72h algae (1)	> 957 mg/l	
ErC50 (algae)	> 100 mg/l (OECD 201 method)	
NOEC chronic fish	>= 100 mg/l	
NOEC chronic crustacea	28 mg/l	
NOEC chronic algae	957 mg/l	

# 12.2. Persistence and degradability

# 3-(2-aminoethylamino)propyltrimethoxysilane (1760-24-3)

39 % (OECD 301A method) Biodegradation

# 12.3. Bioaccumulative potential

No additional information available

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

# 12.4. Mobility in soil

No additional information available

# 12.5. Results of PBT and vPvB assessment

No additional information available

### 12.6. Other adverse effects

No additional information available

# **SECTION 13: Disposal considerations**

#### 13.1. Waste treatment methods

Regional legislation (waste) : Disposal must be done according to official regulations.

European List of Waste (LoW) code : 08 04 09\* - waste adhesives and sealants containing organic solvents or other dangerous

substances

# **SECTION 14: Transport information**

In accordance with ADR

ADR		
14.1. UN number		
Not applicable		
14.2. UN proper shipping name		
Not applicable		
14.3. Transport hazard class(es)		
Not applicable		
14.4. Packing group		
Not applicable		
14.5. Environmental hazards		
Dangerous for the environment : No		
No supplementary information available		

# 14.6. Special precautions for user

# Overland transport

No data available

# 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### 15.1.1. EU-Regulations

The following restrictions are applicable according to Annex XVII of the R	EACH Regulation (EC) No 1907/2006:
3(c) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard class 4.1	3-(2-aminoethylamino)propyltrimethoxysilane
40. Substances classified as flammable gases category 1 or 2, flammable liquids categories 1, 2 or 3, flammable solids category 1 or 2, substances and mixtures which, in contact with water, emit flammable gases, category 1, 2 or 3, pyrophoric liquids category 1 or pyrophoric solids category 1, regardless of whether they appear in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or not.	vinyltrimethoxysilane
3(b) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 3.1 to 3.6, 3.7 adverse effects on sexual function and fertility or on development, 3.8 effects other than narcotic effects, 3.9 and 3.10	vinyltrimethoxysilane - 3-(2-aminoethylamino)propyltrimethoxysilane
3. Liquid substances or mixtures which are regarded as dangerous in accordance with Directive 1999/45/EC or are fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008	vinyltrimethoxysilane - 3-(2-aminoethylamino)propyltrimethoxysilane

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2015/830

3(a) Substances or mixtures fulfilling the criteria for any of the following hazard classes or categories set out in Annex I to Regulation (EC) No 1272/2008: Hazard classes 2.1 to 2.4, 2.6 and 2.7, 2.8 types A and B, 2.9, 2.10, 2.12, 2.13 categories 1 and 2, 2.14 categories 1 and 2, 2.15 types A to F	vinyltrimethoxysilane
---	-----------------------

Contains no substance on the REACH candidate list Contains no REACH Annex XIV substances Directive 2012/18/EU (SEVESO III)

#### 15.1.2. National regulations

No additional information available

### 15.2. Chemical safety assessment

No additional information available

# **SECTION 16: Other information**

Full text of H- and EUH-statements:	
Acute Tox. 4 (Inhalation)	Acute toxicity (inhal.), Category 4
Acute Tox. 4 (Inhalation:dust,mist)	Acute toxicity (inhalation:dust,mist) Category 4
Aquatic Chronic 2	Hazardous to the aquatic environment — Chronic Hazard, Category 2
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Flam. Liq. 3	Flammable liquids, Category 3
Skin Sens. 1	Skin sensitisation, Category 1
STOT RE 2	Specific target organ toxicity — Repeated exposure, Category 2
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.
EUH208	Contains Reaction mass of bis(1,2,2,6,6-pentamethyl-4-piperidyl) sebacate and methyl 1,2,2,6,6-pentamethyl-4-piperidyl sebacate, N-(2-aminoethyl)-N'-[3-(trimethoxysilyl)propyl]ethylenediamine, 3-(2-aminoethylamino)propyltrimethoxysilane. May produce an allergic reaction.
EUH210	Safety data sheet available on request.

# SDS EU (REACH Annex II)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product