

# Product Specification Form CHEMICAL

(Chemical Cat Incl. Adhesives, Cement, Concrete, Detergents, Gas, Inhibitors, Oil, Paints, Sand, Varnish, Water Softeners)

**1: Product Introduction - Press F1 on any section for Help or view Status Bar at bottom of screen**

<b>Product Description:</b>	PATENT KNOTTING 500ML		
<b>SKU/ Prod Code:</b>	511318	<b>Date:</b>	22/10/2007
<b>Risk Rating:</b>	MEDIUM	<b>Issue Level:</b>	1
<b>Brand:</b>	TRAVIS PERKINS	<b>Supplier Code</b>	?
<b>Supplier:</b>	STEYPORT LTD		
<b>Prod Manager/Buyer:</b>	LESLEY REES		

## Section 1: SUPPLIER & MANUFACTURER DETAILS

<b>Supplier Address:</b>			
CENTURION WAY ROMAN ROAD BLACKBURN			
<b>Post / Zip Code:</b>	BB1 2BT	<b>Country:</b>	ENGLAND
<b>Contact Name:</b>	DAVID ALLEN-BURT	<b>Email Address:</b>	INFO@STEYPORT.CO.UK
<b>Contact Number:</b>	01254 823268	<b>Website:</b>	WWW.STEYPORT.CO.UK
<b>Manufacturer Name/Address:</b>			
BARTOLINE LIMITED , Barmston Close , Beverley , East Yorkshire			
<b>Post / Zip Code:</b>	HU17 0LG	<b>Country:</b>	ENGLAND
<b>QA Contact Name:</b>	KEVIN DUPLOCK	<b>QA Email Add:</b>	K.DUPLOCK@BARTOLINE.CO.UK
<b>Has the Manufacturer been assessed by Group QA?</b>			YES
<b>If Yes, date assessment carried out :</b>	19 05 06	<b>Assess Grade:</b>	B
<b>Carried out by:</b>	DANNY MILES		
<b>Has the Manufacturer been assessed by the Supplier?</b>			NA
<b>If Yes, date last assessment carried out :</b>			NA
<b>Has a Product sample been supplied? :</b>		NA	

## Section 2: PRODUCT CERTIFICATION

Where a product falls within the scope of a European Directive, or is defined as Risk Critical, please provide details of any certification associated with the product. You must provide good quality copies of independent certification that is less than two years old. Declarations of conformity from the manufacturer are not sufficient and will not be accepted. Please refer to the Travis Perkins Group Certification Policy for further details.

<b>Directive Included?</b>	NO
<b>Certification Attached?</b>	NO
<b>Declaration of Conformity Attached?</b>	NO



# Product Specification Form CHEMICAL

(Chemical Cat Incl. Adhesives, Cement, Concrete, Detergents, Gas, Inhibitors, Oil, Paints, Sand, Varnish, Water Softeners)

1: Product Introduction (Ctd) - Press F1 on any section for Help or view Status Bar at bottom of screen

Product Description:	PATENT KNOTTING 500ML		
SKU/ Prod Code:	511318	Date:	22/10/2007

## Section 3: COSHH, CHIPS & DETERGENTS

Does the Product fall within the scope of the COSHH (Control of Substances Hazardous to Health), CHIPS (Chemicals Hazard Information and Packaging for Supply) or The Detergent Regulations	YES
Please attach a copy of the Product Health & Safety Data Sheet (PDF format)	YES
Please attach a copy of the product label artwork (PDF format)	NO
Is the Product classified as a Detergent?	NO
Has the Product been tested for the biodegradability of the active ingredients?	NO
If Yes to the above do the results meet the requirements of the regulations (Detergents only)?	NO

## Section 4: SUPPLIER DECLARATION - To be completed by the Supplier

By completing this declaration you confirm on behalf of your company that all Information is true and accurate:			
Print Name:	JONOTHAN BULLOCK	Date:	10/10/2007
Position Held:	OPERATIONS DIRECTOR		
Contact Details:	01254 583737		
Comments:			

## Section 5: Product Approval - to be completed by The Travis Perkins Group

Signature of approval by TP Group :	LISA COPP	Date:	22/10/2007
-------------------------------------	-----------	-------	------------



# Product Specification Form CHEMICAL

(Chemical Cat Incl. Adhesives, Cement, Concrete, Detergents, Gas, Inhibitors, Oil, Paints, Sand, Varnish, Water Softeners)

**2: Technical Specification - Press F1 on any section for Help or view Status Bar at bottom of screen**

<b>Description:</b>	PATENT KNOTTING 500ML		
<b>SKU/ Prod Code:</b>	511318	<b>Date:</b>	22/10/2007

Photograph of Product "<Double click to Insert here>>"



<b>Description/Application:</b>
This is a quick drying solution for sealing knots and sapstreaks in wood, preventing the resinous sap from bleeding through and damaging and discolouring paint or varnish finishes.

<b>Formulation:</b>		
<b>Ingredient</b>	<b>Function</b>	<b>Volume (%)</b>
Alcohol natural resin	Sealer	24
Ethanol	Carrier	70
Methanol	Carrier	<5
Residual quantities of alderhydes, ketones and naphtha.	Carrier	<0.1



# Product Specification Form CHEMICAL

(Chemical Cat Incl. Adhesives, Cement, Concrete, Detergents, Gas, Inhibitors, Oil, Paints, Sand, Varnish, Water Softeners)

Description:	PATENT KNOTTING 500ML		
SKU/ Prod Code:	511318	Date:	22/10/2007

Press F1 on any section for Help or view Status Bar at bottom of screen

<b>Bio degradability:</b>
<b>Ecotoxicity:</b> Rated as only slightly toxic to aquatic organisms.
<b>Bio-accumulative potential:</b> The Bio-accumulative potential of this product is negligible due to high volatility of the carrier resulting in rapid evaporation to air. The resin content is based on naturally derived materials subject to slow degradation in the environment.

<b>Performance Specification: ( to Incl. shelf life of product)</b>
Shelf life is a minimum of 12 months from date of supply. Product is used as supplied with no dilution.

<b>Technical Data:</b>
Keep in tightly closed, clearly labelled containers. Avoid ignition sources. Keep in cool covered and ventilated locations out of direct sunlight.
<b>Directive Name and Numbers:</b>
N/A

<b>Risk Phrases:</b>
<b>HARMFUL &amp; HIGHLY FLAMMABLE</b> R11 Highly Flammable. R 20/21/22 Harmful by inhalation, in contact with skin and if swallowed. R 40/20/21/22 Harmful possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

<b>Instructions/Warnings:</b>
<b>TO AVOID THE RISK OF SPILLAGE ALWAYS ENSURE THE LID IS SECURE AND THE CONTAINER IS SECURED UPRIGHT DURING TRANSPORTATION AND STORAGE</b>
<b>Preparation:</b> Ensure that the wood to be treated is thoroughly clean and dry. Remove excess resinous matter or loose particles. Special precautions should be taken during surface preparation of pre 1960's paint surfaces over wood and metal as they may contain harmful lead.
<b>Application:</b> Apply liberally using a brush or lint free cloth and leave to dry. Touch dry in 5-10 minutes. Recoatable after 30 minutes under normal conditions.
<b>After use:</b> Replace lid firmly after use. Store away from heat and flame. Clean equipment immediately after use with Travis Perkins Methylated Spirit and rinse thoroughly. Some local authorities have special facilities for the disposal of waste coatings. Do not empty product into drains or watercourses. Keep locked up and out of reach of children. Wear suitable protective clothing and gloves. Keep container tightly closed. Keep away from sources of ignition - No Smoking. In case of accident or if you feel unwell, seek medical advice immediately (show this label where possible). Do not empty into drains. Dispose of this material and its container to hazardous or special waste collection point.



## Product Specification Form CHEMICAL

(Chemical Cat Incl. Adhesives, Cement, Concrete, Detergents, Gas, Inhibitors, Oil, Paints, Sand, Varnish, Water Softeners)

<b>Description:</b>	PATENT KNOTTING 500ML		
<b>SKU/ Prod Code:</b>	511318	<b>Date:</b>	22/10/2007

<b>Traceability Details:</b>	
batch code inkjet marked on each container.	
<b>Batch Code Location: (please state clearly where the information is located)</b>	
<b>Transit Packaging:</b>	N/A
<b>Display Packaging:</b>	N/A
<b>Product:</b>	NEAR BOTTOM OF CONTAINER
	5 DIGITS
	1st is the day of the week
	2nd and 3rd digits is the week number
<b>Batch Code Format (F1):</b>	4th and 5th digits is the year

<b>Labelling:</b>
A label is attached to the product and all information is contained on the label.

Please press F1 on any section for Help

<b>Packaging Details:</b>
---------------------------

<b>Inner:</b>	<b>Height:</b>	210 mm	<b>Depth:</b>	66 mm
	<b>Length:</b>	66 mm	<b>Weight:</b>	0.478
<b>Secondary:</b>	<b>Height:</b>	217 mm	<b>Depth:</b>	265 mm
	<b>Length:</b>	207 mm	<b>Weight:</b>	5.87 kg
<b>Transit:</b>	<b>Pallet Type:</b>	1200 x 1000 mm	<b>Pallet Quantity:</b>	1056
	<b>Outer Wrapping:</b>	PVC	<b>Pallet Height:</b>	1028 mm
	<b>Pallet Configuration:</b>	on end	<b>Barcode Location:</b>	Front of product

**Approval:**

Date	Issue	Change Details	Supplier	TP QA Dept.
	1			

Please return this form to: [quality.assurance@travisperkins.co.uk](mailto:quality.assurance@travisperkins.co.uk)

Lisa Copp 01604 502600

